

INDEX MAPS.

T. 6 N. R. 8 E. 2nd Mer.

	6		6		6		5		5			
		7		7		7		7		8		
10	6	31	5	30	4	24	3	18	2	14	1	5
	31		30		25		24		17		14	
10	7	30	8	25	9	23	10	17	11	14	12	4
	29		29		25		23		17		13	
9	18	29	17	24	16	23	15	16	14	13	13	4
	28		28		22		20		16		12	
9	19	28	20	22	21	20	22	16	23	12	24	3
	27		27		21		19		15		12	
8	30	27	29	21	28	19	27	15	26	11	25	3
	26		26		21		19		15		11	
8	31	26	32	20	33	18	34	14	35	11	36	2
	2		2		1		1		1		1	

T. 7 N. R. 8 E. 2nd Mer.

	40	40	40	39	39	38						
43	6	64	5	58	4	54	3	51	2	47	1	38
	63		54		58		54		50		46	
42	7	63	8	58	9	54	10	50	11	46	12	37
	62		62		57		53		50		46	
42	18	62	17	57	16	53	15	49	14	45	13	37
	61		61		57		53		49		45	
41	19	61	20	56	21	52	22	49	23	45	24	36
	60		60		56		52		48		44	
41	30	60	29	55	28	52	27	48	26	44	25	36
	59		59		55		51		48		44	
41	31	59	32	55	33	51	34	47	35	43	36	35
	34		33		33		33		33		33	
	34		34		34		35		35		35	

The figures on the lines refer to the page.

1

Township N. 6 North, Range N. 8 East 2. Mer. Ind. a

ch. l. l.

South Boundary

West a S 89 1/4 W On S. boundary of Sec. 36
24.40 a Brook 4 l. l. wide Course N.
37.20 a Do 3 " " " " N.
40.00 Set q. Sec. post, from which
a Beech 16 m. diam. bran N 46 W 15 l. l. dist. of
a Cherry 10 " " " " N 26 1/2 E 19 " "
80.00 Set post Cor. to Sec. 35 & 36, from which
a Beech 15 m. diam. bran N 9 E 11 l. l. dist. of
a Sugar 16 " " " " N 75 W 17 " "
Land level, timber Beech, Sugar, Oak &c.

West On S. boundary of Sec. 35.

40.00 Set q. Sec. post, from which
a Beech 18 m. diam. bran N 65 E 25 l. l. dist. of
a Do. 15 " " " " S 35 W 18 " "
80.00 Set post Cor. to Sec. 34 & 35, from which
a Beech 12 m. diam. bran N 59 W 16 l. l. dist. of
a Do. 34 " " " " S 18 W 10 " "
Land gently ascending & descending, rich
timber Beech, Sugar, Oak, Oak, &c. undg. Office.

West On S. boundary of Sec. 34

4.65 a Creek 150 l. l. wide Course S.
40.00 Set q. Sec. post, from which
a Beech 5 m. diam. bran N 35 W 7 l. l. dist. of
a Do. 8 " " " " S 21 W 31 " "
80.00 Set post Cor. to Sec. 33 & 34, from which
a Beech 7 m. diam. bran N 18 1/2 E 30 l. l. dist. of
a W. Oak 24 " " " " S 9 E 21 " "
Land level, timber Beech, Oak, Sugar &c.

West On S. boundary of Sec. 33

40.00 Set q. Sec. post, from which
a Beech 7 m. diam. bran N 36 W 3 l. l. dist. of
a Do. 7 " " " " S 5 E 4 " "

2 T6N R8E. 2^d. Mer. Indiana
ch. lks.

74.40 a Brook 8 lks. wide Course S. W.
78.90 a do 8 " " " S.
80.00 At post Cor. to Sec. 32 & 33, from which
a Beech 11 mi. dir. bray N 29 E 4 lks. dist. of
a do. — " " " N 55 W 24 " "
Land flat, timber Beech, Oak, Poplar, Hick &c

Met On S. boundary of Sec. 32
40.00 At q. Sec. post, from which
a Beech 14 mi. dir. bray N 67 W 11 lks. dist. of
a S. Gum 14 " " " S 9 E 33 " "
46.70 a Brook 6 lks. wide Course N. W.
60.04 a do. 6 " " " N.
79.90 a do. 15 " " " S. E.
80.00 At post Cor. to Sec. 31 & 32, from which
a Sugar 13 mi. dir. bray N 17 W 13 lks. dist. of
a Hickory 12 " " " N 17 E 10 " "
Land level, timber Beech, Sugar, Oak &c

Met On S. boundary of Sec. 31
40.00 At q. Sec. post, from which
a Beech 13 mi. dir. bray N 60 W 6 lks. dist. of
a Sugar 7 " " " S 31 E 26 " "
a water course 10 lks. wide runs S.
69.15 Intersected the post Cor. to Township
5 of 6 N, Ranges 8 of 7 East.
Land level, timber, Beech, Hickory, Oak
&c &c. November 7th 1886

East Boundary var. 5.30' E.
Met On E. boundary of Sec. 36
1.15 a Brook 15 lks. wide Course N 80 W.
12.44 a Beech 16 mi. dir.
28.44 a do. 18 " "
40.00 At q. Sec. post, from which
a Sugar 12 mi. dir. bray N 67 W 13 lks. dist. of

St. R & E. I^o. Mer. Indiana³

Ch. L. H.

Ch. Lk. a Sugar 15 in. diam. beam N 85 E 14 Lk. dist. 42.50
a Creek 100 Lk. wide Course N.

42.50 a Creek 100 lth. wide Course W.

69.75 a Brook 8 " " " E.

69.75 a Brook 8 " " " E.
80.00 At post Cor. to sec. 25 of 36, from which
a Sugar 15 in. diam. tree N 28 1/2 E 17 ft. dist. of
a Beech 18 " " " 14 N 30 " "
Land (waving, timber, Beech, Sugar, Poplar,
Oak &c.)

a Sugar 15 in. dia. - tray N 28 1/2 E 17 kn. dist. of

a Beech 18 " " " 14 M 30 " " "

Sand (waiving, timber, Beech, Sugar, Poplar,
Oak &c.

North On E. boundary of Sec. 25

1.50 a Brook, 12 lks. wide Course E.

20.07 a Beech 16 m. char.

25.80 a Brook $\frac{3}{4}$ m. wide Course N.E.

40.00 Let gr. Sec. post, from which

a 5. Gum 9 in. diam. by 12 1/2 12 1/2 Chr. dist. of

a Beech 15 " " " 135 E 10 " "

52.25 a Co 22 " "

63.60 a Brook 8 ft. wide Course W.

76.10 a Beech 36 in. dia.

80.00 Lit. post Cor. to Secs. 24 & 25, from which
a Beech 4¹/₂ mi. dist. from 14 & 8. 1/2 mi. dist. of
a Do. 14 " " " 83 & 15 " "
Land (waiving, Beech, Sugar, Poplar, Oak &c.

a Beech 42 mi. dia. brang 134 @ 8 km. dia. g

2 Do. 14 " " " 1839/15 " "

Sand waiving, Beech, Sugar, Poplar, Oak &c.

North On E. boundary of Sec. 24

2.20 a Brook 20 ft. wide Course W.

15.25 a Beech 78 in. dia.

23.00 a Creek 25 lks. wide Course N.

31.25 a Beech 16 m. dist.

40.00 Let gr. Sec. post, from which

a N. Oak 18 mi. dir. - bray N 43 E 25 hr. met. g

a Beech 7 " " " N 30 1/2 W 36 " "

41.65 a Brook 15 ft. wide Coms. S.W.

48.00 a Do 4 " " "

55.00 a Beech 15 m. dia.

59.90 a do 17 " "

Plot N 8 E. 2^d. Mer. Indiana
 chth
 80.00 Set post Cor. to Sec. 13 of 24, from which
 a Beech 20 mi. dia. bear North 5 lrs. dist. of
 a Do. 7 " " " S 55th 22 " "
 Land waiving timber Beech, Oak, Hickory
 Poplar &c.

North On E. boundary of Sec. 13

71.90 a Brook 8 lrs. wide Course N.E.
 22.95 a M. Oak 18th in. dia. " " N.W.

40.00 Set of. Sec. post, from which
 an Ash 15 mi. dia. bear N 31 E 7 lrs. dist. of
 a Beech 14 " " " N 48 W 31 " "

47.40 a Brook 10 lrs. wide Course N.W.

48.81 a Beech 7 mi. dia.

63.60 a Brook 6 lrs. wide Course W.

66.69 a Beech 16 mi. dia.

74.25 a Brook 20 lrs. wide Course N.E.

80.00 Set post Cor. to Sec. 12 of 13, from which
 a Sugar 30 mi. dia. bear South 30 lrs. dist. of
 a Beech 12 " " " N 5 W 25 " "
 Land waiving, Beech, Oak, Sugar, Hickory &c

North On E. boundary of Sec. 12

12.25 a Brook 35 lrs. wide Course N.W. Considerably
 rapid, but not a sufficient quantity of water
 in a dry season for mills.

20.90 a Beech 15 mi. dia.

40.00 Set of. Sec. post, from which
 a Beech 17 mi. dia. bear S 59 E 16 lrs. dist. of
 a Do. 6 " " " N 81 W 11 " "

52.05 a Creek 80 lrs. wide Course N.W. a good
 Mill stream, abounds with beautiful building
 Stone - Limestone.

66.00 Same Creek Course S.E.

78.50 Same Creek " S.W.

80.00 Set post Cor. to Sec. 1 of 12, from which

St. R & E. 2^d Mer. Ind. 5

ch. 1st th.

a Creek 8 mi. dist. from S 31° W 20 lks. dist. of
a Do. 15 " " " N 30° E 51 " "
Land broken, Beech, Oak, Hickory, Ash &c.

North On E. boundary of Sec. 1

11.60 a Creek 80 lks. wide Course S. E.
18.20 Same 80 " " " W.
26.60 a Poplar 12 mi. dist.
40.00 Set gr. Sec. post, from which
a Creek 12 mi. dist. from N 11° W 3 lks. dist. of
a Do. 14 " " " S 59° E 18 " "
53.60 a Creek 30 " "
64.03 a Poplar 46 " "
73.25 a Creek 18 " "
80.00 Set post Cor. to Township 6 of 7 North, Range
8 of 9 East 2^d Mer. from which
a Creek 18 mi. dist. from N 43° E 17 lks. dist. of
a Do. — " " " S 43° W 21 " "
Land waving, Beech, Poplar, Oak, Hickory

North Boundary

89 1/2 11 West On Rand. S. boundary of Sec. 36, T 7 N. R 28 E.
40.00 Set temp. gr. Sec. post
80.00 Set temp. Cor. to Sec. 35 of 36
Land level, timber Beech & Oak, Sugar &c.

West On Rand. S. boundary of Sec. 35, T 7 N. R 28 E.

13.70 a Brook 3 lks. wide Course S.
22.70 a Do. 10 " " " N 80° E
27.50 a Do. 20 " " " S. W.
40.00 Set temp. gr. Sec. post
62.40 a Brook 20 lks. wide Course S 15° E
75.50 a Creek 100 lks. wide Course S 75° E.
80.00 Set temp. Cor. to Sec. 34 of 35, on West. bank
of Creek, Land waving, timber, Beech, Oak,
Sugar, Hickory, Poplar &c

T6 N. R8 E. 2nd Mer. Indiana

ch. lhr.

West On Rand^m S. boundary of Sec 34, T7 N. R8 E.

30.40 a Brook 8 lhr. wide Course N. E.

40.00 Set temp^y. q^r. Sec. post

40.20 a Brook 5 lhr. wide Course S. E.

80.00 Set temp^y. Cor. to Sec^s 33 & 34

Land waving, timber Beech, Oak, Gum &c.

West On S. boundary of Sec. 33, T7 N. R8 E.

16.10 a Brook 10 lhr. wide Course S. W.

29.50 a Do 6 " " " S.

40.00 Set temp^y. q^r. Sec. post

40.30 a Brook 4 lhr. wide Course S. E.

80.00 Set temp^y. Cor. to Sec^s 32 & 33,

Land waving, Oak, Hickory, Ash, Beech &c

West On Rand^m S. boundary of Sec. 32, T7 N. R8 E.

8.60 a Brook 6 lhr. wide Course N. W.

11.80 a Do. 6 " " " N. W.

40.00 Set temp^y. q^r. Sec. post a brook 15 lhr. wide S. W.

44.75 a Brook 8 lhr. wide Course S.

55.40 a Do. 8 " " " S.

63.00 a Do. 6 " " " S.

71.50 a Do. 10 " " " S.

76.70 a Do. 4 " " " S.

80.00 Set temp^y. Cor. to Sec^s 31 & 32

Land waving, timber Oak, Hickory, Beech, Ash &c

West On Rand^m S. boundary of Sec. 31, T7 N. R8 E.

10.18 a Brook 4 lhr. wide Course S. W.

11.60 a Do. 6 " " " S.

72.70 a Do 8 " " " N 80 W

73.15 fell 106 lhr. S. of post Cor. to Township

6 & 7 N. Range 7 & 8 East. Land waving
timber Oak, Hickory, Beech, Ash &c.

East On true line S. boundary of Sec. 31, T7 N. R8 E.

T6 N R8 E. 2nd. Mer. Indiana

ch. 1st 1/2

13.16 a Beech 13 mi. dist.

33.15 Set gr. Sec. post, from which
a Beech 17 mi. dist. bran N41 E 19 1/2 hrs. dist. of
a Do. 13 " " " N89 W 45 " "

73.15 Set post Cor. to Sec. 31 & 32, T6 N. R8 E, from which
a Beech 15 mi. dist. bran N59 W 21 1/2 hrs. dist. of
a Do. 11 " " " N59 E 11 " "

East On true line S. boundary of Sec. 32, T6 N. R8 E

21.00 a P. Oak 36 mi. dist.

40.00 Set gr. Sec. post, from which
a Sugar 15 mi. dist. bran N29 E 48 hrs. dist. of
a Do 10 " " " N71 W 40 " "

80.00 Set post Cor. to Sec. 32 & 33, T6 N. R8 E, from which
a Hickory 20 mi. dist. bran N59 W 7 hrs. dist. of
a W. Oak 24 " " " N62 E 30 " "

East On true line S. boundary of Sec. 33, T6 N. R8 E.

40.00 Set gr. Sec. post, from which
a W. Oak 16 mi. dist. bran N53 E 23 hrs. dist. of
a Hickory 13 " " " N38 W 7 " "

60.10 a Poplar 40 " "

80.00 Set post Cor. to Sec. 33 & 34, T6 N. R8 E, from which
a Poplar 4 1/2 mi. dist. bran N66 E 10 hrs. dist. of
a Sugar 12 " " " N31 W 26 " "

East On true line S. boundary of Sec. 34, T6 N. R8 E.

20.40 a Sweet Gum 18 mi. dist.

40.00 Set gr. Sec. post, from which
a Beech 9 mi. dist. bran N47 E 11 hrs. dist. of
a Do. 16 " " " N9 W 31 " "

80.00 Set post Cor. to Sec. 34 & 35, T6 N. R8 E, from which
a Maple 13 mi. dist. bran N17 E 16 hrs. dist. of
a Beech 5 " " " N67 W 7 " "

East On true line S. boundary of Sec. 35, T6 N. R8 E.

T^h 8 E. 2^d Mer. Indiana

ch. lth

40.00 Set of Sec. post, from which
 at Beech 38 in. diam. branch N 61 W 2 lth. dist. of
 a do. 18 " " " S 28 W 6 " "
 80.00 Set post cor. to Sec. 35 & 36, T^h 8 E, from which
 at Beech 20 in. diam. branch N 60 E 16 lth. dist. of
 a do. 18 " " " N 61 W 20 " "

East Out line S. boundary of Sec. 36, T^h 8 E.

36.25 a W. Oak 36 in. diam. branch

40.00 Set of Sec. post, from which
 a W. Oak 60 in. diam. branch N 55 E 16 lth. dist. of
 a Beech 8 " " " S 16 E 19 " "

56.03 a do. 36 " "

63.08 a W. Oak 40 " "

80.00 to the Township Corner.

November 9th 1806

Surveyed by John Brownson U.S.

West Boundary var. 5.50' E.

North On E. boundary of Sec. 36, T^h 8 E.

4.00 a Brook 3 lth. wide Course W.

7.96 a Beech 12 in. diam.

23.00 a Brook 3 lth. wide Course W.

40.00 Set of Sec. post, from which

at Beech 12 in. diam. branch S 17 E 14 lth. dist. of

a do. 8 " " " N 48 W 30 " "

40.50 a Brook 3 lth. wide Course W

80.00 Set post cor. to Sec. 25 & 36, T^h 8 E, from which

First 1/2 mile level land, timber Beech, Poplar

Oak &c. - last 1/2 fallen timber thicket

North On E. boundary of Sec. 25, T^h 8 E.

7.84 a Poplar 60 in. diam.

11.00 a Brook 3 lth. wide Course E.

18.00 a do. 20 " " " N.W.

21.00 a do. 2 " " " N.E.

T6 N. R8 E. 2^d. Mer. Indiana 9

ch. lth

25.00 loopt the Brook

27.00 do. do

35.00 a Brook 3 lth. wide Course E.

40.00 Set q. Sec. post, from which
an Ash — in. diam. bray S37 E 18 lth. dist. of
a Beech 16 " " " N54 W30 " "

50.73 a do. 12 " "

65.00 a Brook 3 lth. wide Course E.

78.00 a do 20 " " " NW.

80.00 Set post cor. to Sec. 24 & 25, T6 N. R7 E, from which
a Beech 8 in. diam. bray N44 W10 lth. dist. of
a do. 8 " " " S33 W30 " "
Rich land, timber Beech, Sugar, Oak &c.

North On E. boundary of Sec. 24, T6 N. R7 E.

11.27 an Elm 12 in. diam.

12.00 a large Cave — Spring 100 lth. E. of line

40.00 Set q. Sec. post, from which
a Cherry — in. diam. bray N52 W7 lth. dist. of
a Beech 16 " " " N48 E 14 " "

45.00 a Creek 30 lth. wide Course N.E.

55.90 a Sugar 12 in. diam.

57.00 a Creek 30 lth. wide Course N.E.

74.50 a do. 200 " " " W.

80.00 Set post cor. to Sec. 13 & 24, T6 N. R7 E, from which
a Beech 16 in. diam. bray N46 E 21 lth. dist. of
a do. 16 " " " S40 W16 " "
Rich land timber Beech, Sugar, Oak &c.

North On E. boundary of Sec. 13, T6 N. R7 E.

40.00 Set q. Sec. post, from which
a Beech 12 in. diam. bray S86 W3 lth. dist. of
a do. 10 " " " N86 E 14 " "

69.00 a Creek 50 lth. wide Course S.W.

80.00 Set post cor. to Sec. 12 & 13, T6 N. R7 E, from which
a Beech 3 in. diam. bray N44 W30 lth. dist. of

Sec. 1, T8E. 2ⁿ. Mer. Ind.

ch. 1/2.

a Beech 16 in. diam. bray S 61 E 25 lns. dist. "
First 1/2 (with bottom), Beech, Lysamou &c. last 1/2
Good, land timber Beech, Oak, Ash &c.

Oct. 1st. 1886

North On E. boundary of Sec. 12, T6N. R7E.

5.00 a Brook 20 lns. wide Course E.

14.40 a R. Oak 16 in. diam.

40.00 Set gr. Sec. post, from which

a W. Oak 50 in. diam. bray S 62 E 36 lns. dist. of

a Beech 16 " " " S 67 W 53 " "

46.00 a Brook 3 lns. wide Course S. E.

60.80 a Beech 14 in. diam.

80.00 Set post, Cor. to Sec. 1, 12, T6N. R7E. from which

a R. Oak 36 in. diam. bray S 13 E 26 lns. dist. of

a Beech 14 " " " S 2 W 27 " "

Rich land rich soil, timber Beech, Oak, Ash &c.

North On E. boundary of Sec. 1, T6N. R7E.

21.00 a Brook 3 lns. wide Course W.

21.60 a Beech 24 in. diam.

33.00 a Brook 4 lns. wide Course N. W.

40.00 Set gr. Sec. post, from which

a Gum 18 in. diam. bray N 82 W 25 lns. dist. of

a Do. 16 " " " S 84 E 26 " "

51.80 a Beech 12 " "

67.50 a Brook 4 lns. wide Course N. W.

79.50 a Do 3 " " " N. W.

80.00 Set post Cor. to Township 6 of N. Range

7 of 8 East, from which, from which

a R. Oak 36 in. diam. bray N 53 E 31 lns. dist. of

a W. Oak 30 " " " S 38 W 48 " "

First 1/2 level, last 1/2 uneven timber Beech, Oak &c.

Surveyed in 1886 By

Alexander Holmes, L.S.

Sec. 128 E. 2nd Mer. Indiana 11

ch. lth.

Subdivision. Dec: 13th 1806

North Between Sec. 35 & 36, T6 N. R8 E.

19.25 a Sugar 12 in. dia:

40.00 Set of Sec. post, from which

a R. Oak 10 in. dia: bray N16 E 10 lth. dist. of

a dogwood 8 " " " N85 W 4 " "

41.00 a Creek 150 lth. wide Course West

65.87 a Beech 20 in. dia:

80.00 Set post Co. to Sec. 25, 26, 35 & 36, from which

a Beech 10 in. dia: bray N40 W 9 lth. dist. of

a do 10 " " " N87 E 11 " "

Land rather rolling, timber Beech, Poplar
Ash, Sugar tree, hunder^g. Spruce, good farming
land.

East On Rand. between Sec. 25 & 36

40.00 Set temp. of Sec. post

80.85 intersected the Co. boundary 172 lth. S. of post
Land rolling, timber same good farming land

West on true line between Sec. 25 & 36

40.42 Set of Sec. post at average dist, from which

a Beech 7 in. dia: bray N72 W 17 lth. dist. of

a do 34 " " " N85 E 5 " "

80.85 to Sec. Corner.

North Between Sec. 25 & 26

22.28 a Beech 27 in. dia:

40.00 Set of Sec. post, from which

a Beech 12 in. dia: bray East 16 lth. dist. of

a do. 20 " " " N37 W 17 " "

42.50 a small brook Course S. E.

60.04 a Beech 18 in. dia:

80.00 Set post Co. to Sec. 23, 24, 25 & 26, from which

a Beech 10 in. dia: bray N45 E 23 lth. dist. of

a do 10 " " " N66 W 15 " "

12

Loc. R8 E. 2^d Mer. Indiana
 ch. 6th Sand timber &c. same as on last mile

East On Rand^m. between Sec. 24 & 25

40.00 Set temp^y. q^r. Sec. post

80.60 Intersected the E. boundary 6th. N. of post
 Sand timber same good farming land

West On true line between Sec. 24 & 25

40.30 Set q^r. Sec. post, at average dist. from which
 a Beech 12 mi. dist. by N 49 W 6th. dist. of
 a Do. 15 " " " N 45 E 25 " "

80.60 to Sec. Corner.

North Between Sec. 23 & 24

20.31 a S. Gum 14 mi. dist.

40.00 Set q^r. Sec. post, from which

a Beech 14 mi. dist. by N 78 E 22th. dist. of
 a Do. 30 " " " N 83 W 19 " "

66.22 a Do. 13 " "

80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which
 an Ironwood 5 mi. dist. by N 51 E 10th. dist. of
 a Beech 14 " " " N 51 W 9 " "
 Sand timber same as on the last mile

East On Rand^m. between Sec. 13 & 24

3.00 a Creek 15th. wide Course N. N.

40.00 Set temp^y. q^r. Sec. post

80.39 Intersected E. boundary exactly at the post
 Sand water broken, timber same middling
 farming land

West On true line between Sec. 13 & 24

40.20 Set q^r. Sec. post at average dist. from which
 a Beech 6 mi. dist. by N 10 W 12th. dist. of
 a Do. 14 " " " N 43 E 31 " "

80.39 to Sec. Corner.

13

T6 N 8 E, 2^d Mer. Indiana

ch. 1st 1/2

North Between Sec. 13 & 14

1.00 a creek 15 ft. wide Course N.W.

25.50 a small brook Course S.W.

27.42 a B. Ash 18 in. dia.

40.00 Set of Sec. post, from which
a Beech 11 in. dia. - 146 ft. 9 in. dist. of
a Do. 9 " " " N 18 E 25 " "

59.60 a Gr. Ash 30 " "

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
a Beech 7 in. dia. - 122 ft. 12 in. dist. of
a Do. 7 " " " N 30 E 10 " "

Land broken, timber same middling farming
land, December 14th 1806

East On Rand^m between Sec. 12 & 13

40.00 Set temp. of Sec. post

80.73 Intersected the E. boundary 37 ft. S. of post
Land rolling timber same, good farming land

West On true line between Sec. 12 & 13

40.36 1/2 Set of Sec. post at average dist. from which
a Beech 12 in. dia. - 144 ft. 29 in. dist. of
a Do. 13 " " " S 23 W 20 " "

80.73 to Sec. Corner

North Between Sec. 11 & 12.

21.98 a Beech 11 in. dia.

40.00 Set of Sec. post from which
a Beech 20 in. dia. - 149 ft. 8 in. dist. of
a Do. 4 " " " N 51 E 30 " "

65.50 a Creek 10 ft. wide Course N.W.

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
a Beech 14 in. dia. - 156 ft. 20 in. dist. of
a Do. 15 " " " S 30 W 31 " "

Land broken, timber same, not very farming land

T6 N 128 E. 2^d Mer. Indiana

ch. lth

East On Rand^m. between Sec^s. 1 & 1240.00 Set temp^y. of Sec. post81.28 Intersected the N & S. line 47 lth. S. of post
Land rolling timber same - good farming landWest On true line between Sec^s. 1 & 1240.64 Set of Sec. post at average dist. from which
a Sugar 12 in. dia. bray 130 E 22 lth. dist. of
a Beech 11 " " " N 21 W 13 " "

81.28 to Sec. Corner.

North Between Sec^s. 1 & 240.00 Set of Sec. post, from which
a Beech 9 in. dia. bray 186 E 37 lth. dist. of
a No. 30 " " " N 55 W 12

61.30 a No 12 " "

81.24 Intersected the st. boundary 102 lth. N. of post

Set post Cor. to Sec^s. 1 & 2, from which
a Beech 20 in. dia. bray 155 E 14 lth. dist. of
a W. Ash 12 " " " S 58 W 44 " "The first 1/2 mile broken - the last rolling
timber same, underg^d. Spruce & Greenbrier, the
last 1/2 mile good farming landDecember 15th 1806North Between Sec^s. 34 & 35

14.50 a Creek 150 lth. wide Course S. W

21.51 a Beech 7 in. dia.

40.00 Set of Sec. post, from which
a Beech 8 in. dia. bray N 10 W 28 lth. dist. of
a No 12 " " " S 9 W 18 " "

60.67 a No 18 " "

80.00 Set post Cor. to Sec^s. 26, 27, 34 & 35, from whicha Beech 9 in. dia. bray N 20 E 17 lth. dist. of
a Poplar 36 " " " S 35 W 11 " "

Land rolling, timber Beech, Poplar, Ash

15

West R & E. 2^d. Mer. Indiana
ch. lks. Gum, Sugar, Hackberry &c. some pines undergth,
good farming land

East On Rand^m. between Sec^s. 26 & 35
40.00 Set temp^y. gr. Sec. post
80.17 Intersected the N & S. line 87 lks. N. of post
Sand timber &c. same as on the last mile

West On true line between Sec^s. 26 & 35
40.08 Set gr. Sec. post at average dist. from which
a S. Gum 30 mi. dist. by N 43° W 20 lks. dist. of
a Beech 12 " " " S 89° E 17 " "
80.17 to Sec. Corner.

North Between Sec^s. 26 & 27
17.50 a Brook 10 lks. wide Course S. W.
23.65 a Beech 20 mi. dist.
40.00 Set gr. Sec. post, from which
a Beech 11 mi. dist. by N 79° E 16 lks. dist. of
a No. 15 " " " S 80° W 14 " "
80.00 Set post cor. to Sec^s. 22, 23, 26 & 27, from which
a Beech 5 mi. dist. by N 68° E 11 lks. dist. of
a No. 30 " " " S 43° E 23 " "
Sand timber &c. same as on the last mile

East On Rand^m. between Sec^s. 23 & 26
40.00 Set temp^y. gr. Sec. post
81.50 Intersected the N & S. line 20 lks. S. of post
Sand timber &c. same as on the last mile

West On true line between Sec^s. 23 & 26
40.75 Set gr. Sec. post at average dist. from which
a Beech 6 mi. dist. by N 52° E 20 lks. dist. of
a No. 15 " " " S 58° W 20 " "
81.50 to Sec. Corner

St. N. N 8 E. 2nd Mer. Indiana

ch. lth
North Between Sec. 22 & 23

16.44 a Buckeye 10 mi. dist.

30.50 a Creek 20 lth, wide Course N.W. nearly dry

40.00 Let q^r. Sec. post, from which

a Beech 12 mi. dist. by N 55 W 22 lth. dist. of

a Do. 12 " " " S 48 E 20 " "

58.27 a Sugar 14 " "

80.00 Let post Cor. to Sec. 14, 15, 22 & 23, from which

a Beech 15 mi. dist. by N 16 W 20 lth. dist. of

a Do 22 " " " N 11 E 24 " "

Land very rolling, timber Beech, Sugar
Ash, Poplar, some Buckeye & Walnut
undergrd. Spec. good farming land

East On Rand^m. between Sec. 14 & 23

40.00 Let temp^y. q^r. Sec. post

80.70 Intersected the N & S. line 50 lth. S. of post
Over broken land, timber same, not good
farming land, too broken

West On true line between Sec. 14 & 23

40.35 Let q^r. Sec. post at average dist. from which

a Beech 30 mi. dist. by N 68 E 9 lth. dist. of

a Do. 11 " " " S 80 W 31 " "

80.70 to Sec. Corner

North Between Sec. 14 & 15

19.00 a Creek 30 lth, wide Course S.W.

20.25 a Beech 8 mi. dist. by

40.00 Let q^r. Sec. post, from which

a Sugar 12 mi. dist. by S 44 E 12 lth. dist. of

a Beech 24 " " " S 62 W 10 " "

43.00 a Small brook Course S.W.

57.50 a Do " West

67.29 a Beech 10 mi. dist.

80.00 Let post Cor. to Sec. 10, 11, 14 & 15, from which

17

S 6 N R 8 E. 2nd Mer. Indiana
Ch. 1st 1/2
a Beech 18 in. dia. bears N 10 W 8 lns. dist. of
a Do. 13 " " " S 4 W 82 " "
Land broken & shilly, timber Beech, Sugar &c.
poor farming land.

East On Rand^m. between Sec. 11 & 14
40.00 Set temp^y. of Sec. post
79.25 Intersected the N of S. line 124 lns. S. of post
Land rolling timber Beech, Sugar, Poplar
Ash &c. Middling farming land

West On true line between Sec. 11 & 14
39.62¹/₂ Set of Sec. post at averaged dist. from which
a Beech 6 in. dia. bears N 36 E 11 lns. dist. &
a Gum 5 " " " S 7 E 14 " "
79.25 to Section Corner

North Between Sec. 10 & 11. S 6 N R 8 E.
8.00 a Creek 1.50 lns. wide Course S. W.
26.50 a Do. 1.50 " " " S. E.
29.45 a Beech 10 in. dia.
35.50 a Creek 1.50 lns. wide Course S. W.
40.00 Set of Sec. post, from which
a Beech 6 in. dia. bears S 36 E 5 lns. dist. of
a Sugar 11 " " " N 70 W 12 " "
67.00 to a Bend in the Creek 150 lns. wide
80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
a Sugar 18 in. dia. bears S 42 E 43 lns. dist. of
a Beech 20 " " " N 56 W 27 " "
Land broken with the Creek good Soil,
timber Beech, Sugar, Poplar, Ash &c.
Middling farming land

East On Rand^m. between Sec. 2 & 11
30.50 a Creek 100 lns. wide Course S. W.
45.00 a Do. 100 lns. " " S. W.

T6 N R8 E. 2nd. Mer. Indiana

ch. lth.

- 57.00 a Creek 100 lth. wide Course N.W.
 78.09 Intersected the N of S. line 57 lth. S. of post
 The first 1/2 mile good land, the last 1/2 mile
 Broken timber same as last mile

- West On true line between Sec. 2 of 11
 39.04 1/2 Set q. Sec. post at average dist. from which
 a Beech 7 mi. dist. bear N 49 E 17 lth. dist. of
 a do. 20 " " " N 77 W 13 " "
 78.09 to Sec. Corner

- North Between Sec. 2 of 3
 19.24 a Sugar 20 mi. dist.
 28.00 a Creek 100 lth. wide Course S. E.
 38.00 a do. 100 " " " S. W
 40.00 Set q. Sec. post, from which
 a Sugar 18 mi. dist. bear N 30 E 4 lth. dist. of
 a Beech 12 " " " S 54 W 14 " "
 68.00 a Beech 15 " "
 82.09 Intersected the N. boundary 65 lth. N. of post
 Set post Cor. to Sec. 2 of 3, from which
 a Beech 15 mi. dist. bear N 17 E 22 lth. dist. of
 a do. 8 " " " S 78 W 17 " "
 Over good land rather rolling timber
 Beech, Poplar, Ash, Sugar &c. running
 Spruce; good farming land

December 17th, 1886

- North Between Sec. 33 of 34
 21.60 a S. Gum 27 mi. dist.
 40.00 Set q. Sec. post, from which
 a W. Oak 36 mi. dist. bear S 64 E 3 lth. dist. of
 a S. Gum 12 " " " N 29 W 21 " "
 60.49 a Beech 12 " "
 80.00 Set post Cor. to Sec. 27, 28, 33 of 34, from which
 a Beech 8 mi. dist. bear N 17 E 8 lth. dist. of

Plot V P 8 E. 2nd Mer. Indiana 19
ch. 1st lth
a Beech 12 in. dia. bray N 10 W 20 lth. dist
Land flat timber W. Oak, Beech, Gum &c.
Middleling farming land

East On Rand^m. between Sec^s. 27 & 34
40.00 Set temp^y. q^r. Sec. post
79.82 Intersected N & S. line 47 lth. North of post
The first $\frac{1}{4}$ mile land & timber same - last $\frac{3}{4}$
rolling, timber Beech & Poplar principally
undergth. Spruce Middleling good farming land

West On true line ^{between} Sec^s. 27 & 34
39.96 Set q^r. Sec. post at average dist. from which
a Poplar 36 in. dia. bray S 14 W 13 lth. dist. of
a do. 36 " " " N 18 W 38 " "
79.82 to Sec. Corner.

North between Sec^s. 27 & 28
18.61 a Beech 10 in. dia.
40.00 Set q^r. Sec. post, from which
a W. Ash 10 in. dia. bray N 28 E 27 lth. dist. of
a Poplar 36 " " " S 32 W 18 " "
62.73 a B. Walnut 9 " "
80.00 Set post Cor. to Sec^s. 21, 22, 27 & 28, from which
a Beech 12 in. dia. bray S 68 E 22 lth. dist. of
a do. 18 " " " N 46 W 18 " "
Land rather rolling, timber Beech, Sugar, Poplar
Sassafras, Oak, Ash, Walnut, Hickory, Gum &c.
Middleling good farming land

East On Rand^m. between Sec^s. 22 & 27
34.00 a Creek 20 lth. wide Course N.W.
40.00 Set temp^y. q^r. Sec. post temporarily
80.08 Intersected N & S. line 88 lth. N. of post
Land rolling timber principally Beech, Poplar
Sugar &c. good farming land, undergth. Spruce

T6N R8E. 2^d Mer. Indianach^d. l^y.

West On true line between Sec^s. 22 & 27
 40.04 Set q^r. Sec. post at average dist. from which
 a Sugar 20 mi. dist. bear N 66 E 24 l^y. dist. of
 a Beech 18 " " " N 42 W 28 " "
 80.08 to Sec. Corner

North Between Sec^s. 21 & 22

40.00 Set q^r. Sec. post, from which
 a Beech 12 mi. dist. bear N 41 W 19 l^y. dist. of
 a Do. 15 " " " N 44 W 26 " "
 62.00 a Creek 150 l^y. wide Course S. W
 65.36 a Beech 18 mi. dist.
 80.00 a Beech 11 mi. dist. to Sec^s. 15, 16, 21 & 22
 Land rolling good 2^d rate, timber Beech
 Poplar, Sugar, Ash &c. undr^y. Spruce
 good farming land

East On Rand^m. between Sec^s. 15 & 22

30.00 a Small Brook Course S. E.
 51.00 a Creek 150 l^y. wide Course South
 80.66 Intersected the N of S. line 182 l^y. N. of post
 The first $\frac{3}{4}$ mile same, the last Broken, timber
 same, the first $\frac{3}{4}$ good farming land

West On true line between Sec^s. 15 & 22

40.33 Set q^r. Sec. post, at average dist. from which
 is a Beech 10 mi. dist. Marked for Corner
 80.66 to Sec. Corner

North Between Sec^s. 32 & 33, Dec^r. 18th. 1806

1.00 a Small brook Course S. E.
 19.45 a Poplar 27 mi. dist.
 40.00 Set q^r. Sec. post, from which
 an Elm 11 mi. dist. bear S 89 E 34 l^y. dist. of
 a Beech 12 " " " N 30 W 15 " "
 62.77 a Beech 12 " "

21

St N 8 E. 2nd Mer. Indiana
ch. lhy
80.00 Let post Cor. to Sec. 28, 29, 32 & 33, from which
a Sugar 10 mi. dist. by N 61 E 15 lrs. dist. of
a Beech 14 " " " S 64 W 27 " "
Good flat, timber Beech, Gum, Poplar &c.
Some Spruce undergth, the last 1/2 mile midd-
ling farming land

East On Rand^m. between Sec. 28 & 33
14.50 a Brook 10 lrs. wide Course N. W.
40.00 Let temp^y. of Sec. post
79.91 Intersected the St of S. line 166 lrs. N. of post
The first 1/2 mile rolling - the last 1/2 flat, timber
Beech, Poplar, Gum, Ash &c. undergth. Spruce
green briars &c. (Middling farming land)

West On true line between Sec. 28 & 33
39.95 Let of Sec. post at average dist. from which
a Beech 15 mi. dist. by N 38 E 18 lrs. dist. of
a Do. 15 " " " N 75 W 15 " "
79.91 to Sec. Corner

North Between Sec. 28 & 29
4.00 a Small brook Course N. E.
40.00 Let of Sec. post, from which
a Beech 18 mi. dist. by N 44 W 23 lrs. dist. of
a Do 18 " " " N 21 E 15 " "
62.24 a Poplar 11 " "
80.00 Let post Cor. to Sec. 20, 21, 28 & 29, from which
a Beech 15 mi. dist. by N 83 E 37 lrs. dist. of
an Elm 8 " " " S 53 W 18 " "
Over rolling 2nd rate land, timber Beech, Ash,
Poplar, Sugar &c. undergth. Spruce &c. good
farming land

East On Rand^m. between Sec. 21 & 28
40.00 Let temp^y. of Sec. post

S. 6. N. 18 E. 2^d. Mer. Indiana

ch. 1/2 m.
79.98 Intersected the N of S. line 36 lns. N. of post
Land timber &c. same as on the last mile

West On true line between Sec. 21 & 28

39.99 Set of Sec. post at average dist. from which
a Sassafras 10 in. dia. bear S 68 W 3 lns. dist. of
a Do. 10 " " " S 72 E 25 " "

79.98 to Sec. Corner

North Between Sec. 20 & 21

4.00 a Spring 200 lns. West of the line

20.82 a Cherry 12 in. dia.

40.00 Set of Sec. post, from which
a Beech 14 in. dia. bear S 54 W 18 lns. dist. of
a Do. 14 " " " N 35 E 35 " "

59.50 a Creek 150 lns. wide Course N. W.

66.50 a Brook 15 " " " N. W.

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 24 in. dia. bear S 61 W 47 lns. dist. of
a Do 9 " " " N 47 E 10 " "
Land rolling the last 1/2 mile good 2^d rate
timber Beech, Poplar, Sugar, Ash, Walnut &c.
under 10th Spruce, good farming land

East On Rand^m. between Sec. 16 & 21

2.50 a Brook 12 lns. wide Course S. W.

40.00 Set temp. of Sec. post

80.08 Intersected the N of S. line 100 lns. N. of post
Land rolling, timber same, good farming land

West On true line between Sec. 16 & 21

40.04 Set of Sec. post at average dist. from which
a Beech 20 in. dia. bear S 89 E 37 lns. dist. of
a W. Ash 12 " " " S 81 W 27 " "

80.08 to Sec. Corner

23

S. N. R. E. 2^d Mer. Indiana

ch. 1st 1st

December 19th 1876

North Between Sec. 15 & 16

16.43 a W. Oak 11 m. dist.

40.00 Set of Sec. post, from which
a B. Oak 30 m. dist. by 159 E 9th dist. of
a Beech 10 " " " 159 W 19 " "

60.00 a Small brook Course S. W.

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a Beech 7 m. dist. by 145 W 20th dist. of
a Do. 27 " " " 127 W 23 "

The first 1/2 mile good farming land - the last
broken 3^d rate poor farming land

East On Rand. between Sec. 10 & 15

40.00 Set temp. of Sec. post

80.90 intersected the N & S line 100th N. of post
Land broken, timber same, poor farming land.

West On true line between Sec. 10 & 15

40.45 Set of Sec. post at average dist. from which
a Beech 10 m. dist. by 149 E 12th dist. of
a Do 18 " " " 145 W 10 " "

80.90 to Sec. Corner

North Between Sec. 9 & 10 var. 5.00' E

23.49 a Beech 15 m. dist.

40.00 Set of Sec. post, from which
a Beech 12 m. dist. by 145 E 15th dist. of
a Do. 18 " " " 128 W 24 " "

64.89 a Do 7 " "

65.50 a Small brook Course West

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a B. Gum 18 m. dist. by 143 W 4th dist. of
a W. Oak 18 " " " 143 E 16 " "

Land broken, timber same, poor farming land

St. R & E. 2nd Mer. Indiana

ch² lth
East On Land^m between Sec. 3 & 10. var. 5.00' E

6.00 a small brook Course S. W.

40.00 Set temp^y. gr. Sec. post

44.50 a Creek 150 lth. wide Course South

67.00 a same 150 " " " N. W.

81.19 Intersected the N & S line 51 lth. N. of post
The first 1/2 mile land & timber same - the last
1/2 Creek bottom & good farming land

Post On true line between Sec. 3 & 10

40.59 Set gr. Sec. post at average dist. from which
a Beech 7 mi. dist. bearing S 9 E 15 lth. dist. of
a Dogw^d? 6 " " " N 61 W 10 " "

81.19 to Sec. Corner

North Between Sec. 3 & 4

19.15 a Beech 9 mi. dist.

21.50 a small brook Course S. E.

40.00 Set gr. Sec. post, from which

a Beech 10 mi. dist. bearing S 87 E 21 lth. dist. of

a Dogw^d. 20 " " " S 73 W 44 " "

81.04 Intersected the N. boundary 63 lth. N. of post

Set post Cor. to Sec. 3 & 4, from which

a Sugar 12 mi. dist. bearing S 15 W 21 lth. dist. of

a Beech 11 " " " N 2 W 47 " "

The first 1/2 mile rather broken - the last 1/2
m^{ile} level, timber, Beech, Poplar, Gum, Ash,
Sugar &c. thick underg^g. of Dogwood, Jessup,
&c. Not good farming land. Dec. 20th. 1806

North Between Sec. 16 & 17

19.71 a Beech 12 mi. dist.

40.00 Set gr. Sec. post, from which

a Beech 18 mi. dist. bearing S 73 W 2 lth. dist. of

a Sugar 24 " " " N 45 E 44 " "

60.04 a Beech 11 " "

25

N 61° E. 2nd Mer. Indiana

ch. l. l.

62.34 a Creek 20 l. m. wide Course West

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Beech 7 m. dia. bray N 6° E 19 l. m. dist. of

a Do. 10 " " " N 61° W 31 " "

Land 2nd rate, timber, Beech, Poplar, Sugar,
Ash &c. The first $\frac{3}{4}$ broken - the last $\frac{1}{4}$ creek
bottom, mendingth price

East On Rand^m. between Sec. 9 & 16. var 5.10° E

17.50 a Creek 30 l. m. wide Course S.

40.00 Set tim. p. y. q. Sec. post

80.40 Intersected the N of S line 69 l. m. S. of post

The first $\frac{1}{4}$ Creek bottom - the last $\frac{3}{4}$ broken
timber same, poor farming land

West On true line between Sec. 9 & 16

40.20 Set q. Sec. post at average dist. from which

a W. Oak 18 m. dia. bray S 28° W 27 l. m. dist

a Beech 10 " " " N 33° E 10 " "

80.40 to Sec. Corner

North Between Sec. 8 & 9

19.41 a Beech 10 m. dia.

40.00 Set q. Sec. post, from which

a Beech 20 m. dia. bray S 4° E 18 l. m. dist. of

an Elm 10 " " " N 4° E 22 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which

a Poplar 7 m. dia. bray S 28° E 28 l. m. dist. of

a Beech 10 " " " N 8° W 47 " "

Land rather broken, timber same, poor farming land.

East On Rand^m. between Sec. 4 & 9 var 5.40° E.

40.00 Set tim. p. y. q. Sec. post

81.00 Intersected the N of S line 15 l. m. N. of post

Land timber &c. same as on the last mile

ch. lhy
West On true line between Secs. 4 & 9
40.50 Set q. Sec. post at average dist. from which
a Cassia 10 mi. dist. bear N60 W 11 mi. dist. of
a W. Ash 9 " " " N76 E 13 " "
81.00 to Sec. Corner. Dec. 21st 1886

North Between Secs. 31 & 32
24.94 a Beech 10 mi. dist.
40.00 Set q. Sec. post, from which
a Hickory 12 mi. dist. bear S82 W 24 mi. dist. of
a Poplar 15 " " " N89 E 9 " "
63.29 a Beech 12 " "
80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which
a Beech 10 mi. dist. bear S50 W 18 mi. dist. of
a Hickory 18 " " " N45 E 3 " "
Sand level, timber, Beech, Poplar, Gum
Hickory, poor farming land, Soil thin

East On Rand^m. between Secs. 29 & 32, var 5.40 E.
40.00 Set temp. q. Sec. post
80.31 Intersected the N. S. line 10 mi. N. of post
Sand & timber same poor farming land

West On true line between Secs. 29 & 32
40.15 Set q. Sec. post at average dist. from which
a Hickory 15 mi. dist. bear N18 E 11 mi. dist. of
a Beech 11 " " " S39 W 10 " "
80.31 to Sec. Corner

West Between Secs. 30 & 31
36.50 a small brook Course N. W.
40.00 Set q. Sec. post from which
a Beech 14 mi. dist. bear N63 W 8 mi. dist. of
a Llo 11 " " " S58 E 40 " "
59.80 a Llo 12 " "
70.48 Intersected the N. boundary exactly at

T6 N R8 E. 2.^d Mer. Indiana 27

ch. lks.

the post. Land rolling, timber Beech,
Poplar, Ash, Gum, Sugar tree &c. middling
good farming land

North Between Sec. 29 & 30

28.20 a W. Oak 24 mi. dist.

40.00 Set of Sec. post, from which
a Beech 13 mi. dist. bear N 57° W 4 lks. dist. of
a Do. 14 " " " N 84° E 16 " "

63.30 a Hickory 11 " "

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
a Beech 11 mi. dist. bear N 40° W 3 lks. dist. of
a Do 10 " " " N 69° E 27 " "
Land timber &c. Same as on the last mile

East On Rand^m. between Sec. 20 & 29

40.00 Set temp. of Sec. post

55.00 a Creek 20 lks. wide Course N. W.

65.00 a Spring branch 10 lks. wide Course S. W.

79.54 Intersected the N. & S. line 7 lks. S. of post
Land timber &c. Same as on the last mile

West On true line between Sec. 20 & 29

39.77 Set temp. of Sec. post at average dist. from which
a W. Ash 18 mi. dist. bear N 19° E 18 lks. dist. of
a Beech 15 " " " N 8° W 6 " "

79.54 to Sec. Corner. Dec. 22nd. 1886

West Between Sec. 19 & 30

19.73 a Beech 10 mi. dist.

40.00 Set of Sec. post, from which
a Beech 14 mi. dist. bear N 75° E 4 3/4 lks. dist. of
a Hickory 20 " " " N 72° W 14 " "

61.87 a Beech 9 " "

72.63 Intersected the N. boundary exactly at post
Land rolling, timber Beech, Poplar, Sugar,

28

Sec. 18 E. T. Mer. Indiana
 ch. 16th Oak &c. underg^g, Spruce & Greenbrier, good
 farming land

North Between Sec. 17 & 20

34.00 a Creek 40th, wide Course N. W.

40.00 Set q. Sec. post, from which
 a Beech 30 in. dia. beam S 41 E 27th dist. of
 a Do. 20 " " " S 16 W 17 " "

61.63 a Do. 12 " "

80.00 Set post in Creek 200th, wide Cr. S. W. from
 which a Sycamore 12 in. dia. beam S 26 W 18th dist. of
 a Do. 30 " " " S W 84 " "

The first 1/2 mile rolling - the last 1/2 Creek
 bottom, timber same good farming land.

East On Rand^m. between Sec. 17 & 20

40.00 Set trip^g. q. Sec. post

66.00 a Creek 150th, wide Course N. W.

79.43 Intersected the N & S. line 6th, S. of post
 Land rolling good 2nd rate, timber Beech
 Poplar, Sugar, Lym, Sycamore, Walnut
 Ash &c. good farming land

West On true line between Sec. 17 & 20

39.76 Set q. Sec. post at average dist. from which
 a Beech 13 in. dia. beam S 18 W 29th dist. of
 a Sugar 12 " " " S 22 W 23 " "

79.43 to Sec. Corner.

West Between Sec. 18 & 19

25.50 a Brook 15th, wide Course N. W.

40.00 Set q. Sec. post, from which
 an Elm 12 in. dia. beam S 83 W 6th dist. of
 a W. Oak 18 " " " S 62 E 13 " "

56.00 a Creek 250th, wide Course S. W.

72.23 Intersected the W. boundary 41th, S. of post

St. R & E. 2nd Mer. Indiana 29
ch. lth
Set post Cor. to Sec. 18 & 19, from which
an Elm 18 m. dia. bray N 42 E 3 lth. dist. of
a Beech 13 " " " S 79 W 19 " "
Over Creek bottom level, timber same, rather
thin soil not very good farming land

December 23rd, 1876
North Between Sec. 17 & 18
3.85 a Brook 10 lth. wide Course N.
40.00 Set q. Sec. post, from which
a Beech 20 m. dia. bray S 17 W 9 lth. dist. of
a do 7 " " " N 54 W 17 " "
80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 11 m. dia. bray S 89 W 34 lth. dist. of
a do. 10 " " " S 81 E 33 " "
The first 1/2 mile level & good farming land
timber same - the last 1/2 broken timber
same, including Dogwood & greenbrier, poor far-
ming land

West Between Sec. 7 & 18
28.64 a Hickory 18 m. dia.
40.00 Set q. Sec. post, from which
a Sugar 12 m. dia. bray N 40 E 21 lth. dist. of
a Beech 15 " " " S 47 W 24 " "
62.50 a Creek 30 lth. wide Course S. W.
70.38 Intersected the N & S. line 82 lth. N. of post
Set post Cor. to Sec. 7 & 18, from which
a Beech 12 m. dia. bray S 27 E 20 lth. dist. of
a Sugar 7 " " " N 13 E 4 " "
Land broken, timber same thick including
Dogwood, Sassafras & greenbrier, poor land

East On Land^m. between Sec. 8 & 17
18.00 a Small brook Course S. W.
40.00 Set temp. q. Sec. post

T6 N. R8 E. 2^d Mer. Indianach. 1st 1/2

80.21 Intersected the N of S. line 30 lns. N. of post.
 Set post Sand timber same as last mile
 poor farming land

West On true line between Secs. 8 & 17

40.10 Set q. Sec. post at average dist. from which
 a Gum 18 in. dia. bear S 44 W 7 lns. dist. of
 a Poplar 30 " " " N 42 E 31 " "

80.21 to Sec. Corner

North Between Secs. 7 & 8

27.50 a Beech 8 in. dia.

40.00 Set q. Sec. post, from which
 a Beech 6 in. dia. bear S 38 W 16 lns. dist. of
 a do. 7 " " " N 44 E 6 " "

52.00 a small brook Course S. W

80.00 Set post Cor. to Secs. 5, 6, 7 & 8, from which
 a Beech 12 in. dia. bear S 30 W 23 lns. dist. of
 a do. 15 " " " N 47 E 10 " "
 Sand timber &c. same as on the last mile

East On Rand^m between Secs. 5 & 8

40.00 Set temp. q. Sec. post

40.50 a small brook Course S. W.

79.66 Intersected the N of S. line 78 lns. N. of post
 Sand timber &c. same as on the last mile

West On true line between Secs. 5 & 8

40.25 Set q. Sec. post at average dist. from which
 (39.83²) a Beech 9 in. dia. bear N 20 E 13 lns. dist. of
 a do. 15 " " " S 8 W 24 " "

79.66 to Sec. Corner. Dec. 24th, 1806

North Between Secs. 4 & 5, T6 N. R8 E.

23.78 a Sugar 8 in. dia.

40.00 Set q. Sec. post, from which

31

St. R. E. 2nd Mer. Indiana

ch. l. l. m.

a Hickory 18 in. dia. beam 157 E 17 l. m. dist. of
 a Beech 12 " " " N 73 W 5 " "
 59.13 a Poplar 30 " "
 79.60 intersected the N. boundary 111 l. m. N. of post
 Set post Cor. to Sec. 4 of 5, from which
 a Beech 13 in. dia. beam 133 W 12 l. m. dist. of
 a do. 12 " " " S 71 E 22 " "
 Sand rolling timber Beech, Poplar, Oak
 Hickory &c. Under ^{the} Spruce, Hazel, dogwood?
 greenbrier &c. (muddling farming land)

West Between Sec. 6 of 7

19.79 a Beech 12 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 10 in. dia. beam 177 E 9 l. m. dist. of
 a do. 11 " " " " S 85 W 15 " "
 71.50 intersected N. boundary 80 l. m. N. of post
 Set post Cor. to Sec. 6 of 7, from which
 a Beech 14 in. dia. beam 170 E 9 l. m. dist. of
 a do. 10 " " " " N 68 E 11 " "
 Sand rolling timber Beech, Poplar, Oak,
 Sugar &c. (muddling farming land)

North Between Sec. 5 of 6

38.50 a Small brook Course S. W.
 40.00 Set of Sec. post, from which
 a Beech 20 in. dia. beam 165 E 16 l. m. dist. of
 a do. 10 " " " " N 63 W 26 " "
 63.00 a Small brook Course S. E.
 65.00 a Hickory 8 in. dia.
 78.54 intersected N. boundary 106 l. m. N. of post
 Set post Cor. to Sec. 5 of 6, from which
 a Beech 16 in. dia. beam 153 E 12 l. m. dist. of
 a do. 14 " " " " S 81 W 8 " "
 Sand broken timber same, under ^{the} Spruce
 Sassafras & greenbrier poor farming land.
 variation 5.40' E.

T. 6 N. R. 8 E. 2.nd Mer. Indiana

Surveyed By
 William Harris, D. S.
 For,
 James Lissner
 Dep. Sur.

Comp.

I certify that the foregoing transcript of
 field notes of Township T. 6 North, Range
 N. 8 East 2.nd Mer. Indiana, has been com-
 pared with the original notes in this office
 and found to be correct.

Surveyor General's Office
 Cincinnati, Sept. 21. 1842

William Johnston
 Sur. Genl.